



General Purpose PVC Air Hose

TUBE

Black 80A (+/-5)
General Purpose PVC

TEMP RANGE

+25 F to +150 F
-5 C to +65 C

REINFORCEMENT

Yes

RATINGS

Self Extinguishing

JACKET

80A (+/-5) General PVC with a
dull finish

CUSTOM OPTIONS

Refer to Custom Capabilities
page

General Purpose PVC Air Hose

ITEM NUMBER	ID	OD	WALL	*MAX WP	COLOR	PACKAGING
1902.0400.1001	1/4	1/2	0.125	300 PSI	Yellow	100 ft Box
1902.0400.6004					Yellow	600 ft Reel
1904.0400.1001					Red	100 ft Box
1904.0400.6004					Red	600 ft Reel
1906.0400.1001					Blue	100 ft Box
1906.0400.6004					Blue	600 ft Reel
1909.0400.1001					Black	100 ft Box
1909.0400.6004					Black	600 ft Reel
1902.0500.6004	5/16	9/16	0.125	300 PSI	Yellow	600 ft Reel
1904.0500.6004					Red	600 ft Reel
1906.0500.6004					Blue	600 ft Reel
1909.0500.6004					Black	600 ft Reel
1902.0600.1001	3/8	5/8	0.125	300 PSI	Yellow	100 ft Box
1902.0600.6004					Yellow	600 ft Reel
1904.0600.1001					Red	100 ft Box
1904.0600.6004					Red	600 ft Reel
1906.0600.1001					Blue	100 ft Box
1906.0600.6004					Blue	600 ft Reel
1909.0600.1001					Black	100 ft Box
1909.0600.6004					Black	600 ft Reel
1902.0800.1001	1/2	3/4	0.125	300 PSI	Yellow	100 ft Box
1902.0800.6004					Yellow	600 ft Reel
1904.0800.1001					Red	100 ft Box
1904.0800.6004					Red	600 ft Reel
1906.0800.1001					Blue	100 ft Box
1906.0800.6004					Blue	600 ft Reel
1909.0800.1001					Black	100 ft Box
1909.0800.6004					Black	600 ft Reel
1902.1000.1001	5/8	7/8	0.125	200 PSI	Yellow	100 ft Box
1902.1000.5004					Yellow	500 ft Reel
1904.1000.1001					Red	100 ft Box
1904.1000.5004					Red	500 ft Reel

* Working pressures shown are based at +68 F/+20 C

General Purpose PVC Air Hose

ITEM NUMBER	ID	OD	WALL	*MAX WP	COLOR	PACKAGING
1906.1000.1001	5/8	7/8	0.125	200 PSI	Blue	100 ft Box
1906.1000.5004					Blue	500 ft Reel
1909.1000.1001					Black	100 ft Box
1909.1000.5004					Black	500 ft Reel
1902.1200.1000	3/4	1.030	0.140	200 PSI	Yellow	100 ft Coil
1902.1200.5004					Yellow	500 ft Reel
1904.1200.1000					Red	100 ft Coil
1904.1200.5004					Red	500 ft Reel
1906.1200.1000					Blue	100 ft Coil
1906.1200.5004					Blue	500 ft Reel
1909.1200.1000					Black	100 ft Coil
1909.1200.5004					Black	500 ft Reel
1902.1600.1000	1	1 5/16	0.156	175 PSI	Yellow	100 ft Coil
1902.1600.3004					Yellow	300 ft Reel
1904.1600.1000					Red	100 ft Coil
1904.1600.3004					Red	300 ft Reel
1906.1600.1000					Blue	100 ft Coil
1906.1600.3004					Blue	300 ft Reel
1909.1600.1000					Black	100 ft Coil
1909.1600.3004					Black	300 ft Reel

* Working pressures shown are based at +68 F/+20 C