



## Low Temperature PVC Air Hose

**TUBE**

Black 70A (+/-5)  
Low Temperature PVC

**TEMP RANGE**

-15 F to +150 F  
-26 C to +65 C

**REINFORCEMENT**

Yes

**RATINGS**

Self Extinguishing

**JACKET**

70A (+/-5) Low Temperature  
PVC with a dull finish

**CUSTOM OPTIONS**

Refer to Custom Capabilities  
page

## Low Temperature PVC Air Hose

| ITEM NUMBER    | ID   | OD    | WALL  | *MAX WP | COLOR  | PACKAGING   |
|----------------|------|-------|-------|---------|--------|-------------|
| 1952.0400.1001 | 1/4  | 1/2   | 0.125 | 300 PSI | Yellow | 100 ft Box  |
| 1952.0400.6004 |      |       |       |         | Yellow | 600 ft Reel |
| 1954.0400.1001 |      |       |       |         | Red    | 100 ft Box  |
| 1954.0400.6004 |      |       |       |         | Red    | 600 ft Reel |
| 1956.0400.1001 |      |       |       |         | Blue   | 100 ft Box  |
| 1956.0400.6004 |      |       |       |         | Blue   | 600 ft Reel |
| 1959.0400.1001 |      |       |       |         | Black  | 100 ft Box  |
| 1959.0400.6004 |      |       |       |         | Black  | 600 ft Reel |
| 1952.0500.6004 | 5/16 | 9/16  | 0.125 | 300 PSI | Yellow | 600 ft Reel |
| 1954.0500.6004 |      |       |       |         | Red    | 600 ft Reel |
| 1956.0500.6004 |      |       |       |         | Blue   | 600 ft Reel |
| 1959.0500.6004 |      |       |       |         | Black  | 600 ft Reel |
| 1952.0600.1001 | 3/8  | 5/8   | 0.125 | 300 PSI | Yellow | 100 ft Box  |
| 1952.0600.6004 |      |       |       |         | Yellow | 600 ft Reel |
| 1954.0600.1001 |      |       |       |         | Red    | 100 ft Box  |
| 1954.0600.6004 |      |       |       |         | Red    | 600 ft Reel |
| 1956.0600.1001 |      |       |       |         | Blue   | 100 ft Box  |
| 1956.0600.6004 |      |       |       |         | Blue   | 600 ft Reel |
| 1959.0600.1001 |      |       |       |         | Black  | 100 ft Box  |
| 1959.0600.6004 |      |       |       |         | Black  | 600 ft Reel |
| 1952.0800.1001 | 1/2  | 3/4   | 0.125 | 300 PSI | Yellow | 100 ft Box  |
| 1952.0800.6004 |      |       |       |         | Yellow | 600 ft Reel |
| 1954.0800.1001 |      |       |       |         | Red    | 100 ft Box  |
| 1954.0800.6004 |      |       |       |         | Red    | 600 ft Reel |
| 1956.0800.1001 |      |       |       |         | Blue   | 100 ft Box  |
| 1956.0800.6004 |      |       |       |         | Blue   | 600 ft Reel |
| 1959.0800.1001 |      |       |       |         | Black  | 100 ft Box  |
| 1959.0800.6004 |      |       |       |         | Black  | 600 ft Reel |
| 1952.1000.1001 | 5/8  | 0.890 | 0.133 | 250 PSI | Yellow | 100 ft Box  |
| 1952.1000.5004 |      |       |       |         | Yellow | 500 ft Reel |
| 1954.1000.1001 |      |       |       |         | Red    | 100 ft Box  |
| 1954.1000.5004 |      |       |       |         | Red    | 500 ft Reel |

\* Working pressures shown are based at +68 F/+20 C

## Low Temperature PVC Air Hose

| ITEM NUMBER    | ID  | OD    | WALL  | *MAX WP | COLOR  | PACKAGING   |
|----------------|-----|-------|-------|---------|--------|-------------|
| 1956.1000.1001 | 5/8 | 0.890 | 0.133 | 250 PSI | Blue   | 100 ft Box  |
| 1956.1000.5004 |     |       |       |         | Blue   | 500 ft Reel |
| 1959.1000.1001 |     |       |       |         | Black  | 100 ft Box  |
| 1959.1000.5004 |     |       |       |         | Black  | 500 ft Reel |
| 1952.1200.1000 | 3/4 | 1.080 | 0.165 | 250 PSI | Yellow | 100 ft Coil |
| 1952.1200.5004 |     |       |       |         | Yellow | 500 ft Reel |
| 1954.1200.1000 |     |       |       |         | Red    | 100 ft Coil |
| 1954.1200.5004 |     |       |       |         | Red    | 500 ft Reel |
| 1956.1200.1000 |     |       |       |         | Blue   | 100 ft Coil |
| 1956.1200.5004 |     |       |       |         | Blue   | 500 ft Reel |
| 1959.1200.1000 |     |       |       |         | Black  | 100 ft Coil |
| 1959.1200.5004 |     |       |       |         | Black  | 500 ft Reel |
| 1952.1600.1000 | 1   | 1.350 | 0.175 | 200 PSI | Yellow | 100 ft Coil |
| 1952.1600.3004 |     |       |       |         | Yellow | 300 ft Reel |
| 1954.1600.1000 |     |       |       |         | Red    | 100 ft Coil |
| 1954.1600.3004 |     |       |       |         | Red    | 300 ft Reel |
| 1956.1600.1000 |     |       |       |         | Blue   | 100 ft Coil |
| 1956.1600.3004 |     |       |       |         | Blue   | 300 ft Reel |
| 1959.1600.1000 |     |       |       |         | Black  | 100 ft Coil |
| 1959.1600.3004 |     |       |       |         | Black  | 300 ft Reel |

\* Working pressures shown are based at +68 F/+20 C