



Natural LLDPE Tubing, FDA Grade

TUBE

Natural FDA Grade LLDPE

REINFORCEMENT

No

JACKET

None

TEMP RANGE

-50 F to +140 F
-45 C to +60 C

RATINGS

FDA Ingredients

CUSTOM OPTIONS

Refer to Custom Capabilities page



Natural LLDPE Tubing, FDA Grade

TUBE

Natural FDA Grade LLDPE

REINFORCEMENT

No

JACKET

None

TEMP RANGE

-50 F to +140 F
-45 C to +60 C

RATINGS

FDA Ingredients

CUSTOM OPTIONS

Refer to Custom Capabilities page



ITEM NUMBER	ID	OD	WALL	*MAX WP	COLOR	PACKAGING
2000.0004.1008	0.17	1/4	0.04	150 PSI	Natural	100 ft Bulk Box
2000.0004.7002						1,000 ft Spool
2000.0004.8002						2,000 ft Spool
2000.0204.1008	1/8	1/4	0.063	150 PSI	Natural	100 ft Bulk Box
2000.0204.7002						1,000 ft Spool
2000.0204.8002						2,000 ft Spool
2000.0305.1008	3/16	5/16	0.063	150 PSI	Natural	100 ft Bulk Box
2000.0305.7502						1,500 ft Spool
2000.0406.1008	1/4	3/8	0.063	150 PSI	Natural	100 ft Bulk Box
2000.0406.5002						500 ft Spool
2000.0406.7002						1,000 ft Spool
2000.0608.1001	3/8	1/2	0.063	150 PSI	Natural	100 ft Box
2000.0608.5002						500 ft Spool
2000.0810.1001	1/2	5/8	0.063	100 PSI	Natural	100 ft Box
2000.0810.5000						500 ft Coil
2000.1012.1000	5/8	3/4	0.063	75 PSI	Natural	100 ft Box
2000.1012.5000						500 ft Coil

* Working pressures shown are based at +68 F/+20 C with a 4:1 safety factor

Natural LLDPE Tubing, FDA Grade

TUBE

Natural FDA Grade LLDPE

REINFORCEMENT

No

JACKET

None

TEMP RANGE-50 F to +140 F
-45 C to +60 C**RATINGS**

FDA Ingredients

CUSTOM OPTIONSRefer to Custom Capabilities
page

ITEM NUMBER	ID	OD	WALL	*MAX WP	COLOR	PACKAGING
2400.0004.1001	0.170	1/4	0.040	125 PSI	Natural	100 ft Box
2400.0004.7002						1,000 ft Spool
2400.0004.8002						2,000 ft Spool
2400.0204.1001	1/8	1/4	0.063	125 PSI	Natural	100 ft Box
2400.0204.7002						1,000 ft Spool
2400.0204.8002						2,000 ft Spool
2400.0305.1001	3/16	5/16	0.063	125 PSI	Natural	100 ft Box
2400.0305.7502						1,500 ft Spool
2400.0406.1001	1/4	3/8	0.063	125 PSI	Natural	100 ft Box
2400.0406.5002						500 ft Spool
2400.0406.7002						1,000 ft Spool
2400.0608.1001	3/8	1/2	0.063	125 PSI	Natural	100 ft Box
2400.0608.5002						500 ft Spool
2400.0810.1001	1/2	5/8	0.063	85 PSI	Natural	100 ft Box
2400.0810.5000						500 ft Coil
2400.1012.1000	5/8	3/4	0.063	65 PSI	Natural	100 ft Box
2400.1012.5000						500 ft Coil

* Working pressures shown are based at +68 F/+20